


VNKBMI - INTERMEDIATE PUMP



HOW TO ORDER

Multiple pump	Group	Size	Inlet port *	Outlet port *	Rotation	Standard Version
---------------	-------	------	--------------	---------------	----------	------------------

VNKBMI	3			25
	2		4	30
	1	1.1	6	33
		1.3	8	39
		1.6	10	46
		1.8	12	50
		2.1	14	55
		2.7	16	63
		3.2	18	70
		3.7	20	80
		4.2	23	90
		5	25	
		5.8	30	
		7		
		8		

C	Clockwise	S
A	Counter clockwise	H
		J
		W
		R

* see specifications of ports in pages 42, 43, 44, 45, 46.




Type	Displacement	Max. Pressure			Max. Speed	Min. Speed	Dimensions
							B
	cm ³ /rev	P1	P2	P3	r/min	r/min	mm
VNKBMI-1-11-1-1-1-*.**	1.1	250	270	290	6000	1000	18,5
VNKBMI-1-13-1-1-1-*.**	1.3	250	270	290	6000	1000	19
VNKBMI-1-16-1-1-1-*.**	1.6	250	270	290	6000	1000	19,5
VNKBMI-1-18-1-1-1-*.**	1.8	250	270	290	6000	1000	20
VNKBMI-1-21-1-1-1-*.**	2.1	250	270	290	6000	1000	21
VNKBMI-1-27-1-1-1-*.**	2.7	250	270	290	6000	1000	22
VNKBMI-1-32-1-1-1-*.**	3.2	250	270	290	6000	800	23
VNKBMI-1-37-1-1-1-*.**	3.7	250	270	290	5000	800	24
VNKBMI-1-42-1-1-1-*.**	4.2	250	270	290	4500	800	25
VNKBMI-1-48-1-1-1-*.**	4.8	230	250	270	4000	800	26
VNKBMI-1-58-1-1-1-*.**	5.8	230	250	270	3500	600	28
VNKBMI-1-7-1-1-1-*.**	7	210	230	250	3000	600	30
VNKBMI-1-8-1-1-1-*.**	8	180	200	230	2500	600	32

Type	Displacement	Max. Pressure			Max. Speed	Min. Speed	Dimensions
							A
	cm ³ /rev	P1	P2	P3	r/min	r/min	mm
VNKBMI2-4-*.**.*	4	270	285	300	4000	600	25,3
VNKBMI2-6-*.**.*	6	270	285	300	4000	600	27
VNKBMI2-8-*.**.*	8	270	285	300	3500	500	28,6
VNKBMI2-10-*.**.*	10	270	285	300	3000	500	30,3
VNKBMI2-12-*.**.*	12	270	285	300	3000	500	32
VNKBMI2-14-*.**.*	14	250	265	280	4000	500	33,6
VNKBMI2-16-*.**.*	16	250	265	280	4000	500	35,3
VNKBMI2-18-*.**.*	18	250	265	280	3600	400	37
VNKBMI2-20-*.**.*	20	220	235	250	3200	400	38,6
VNKBMI2-2*-3-*.**.*	23	220	235	250	3000	400	40,3
VNKBMI2-25-*.**.*	25	200	215	230	3000	400	42,8
VNKBMI2-28-*.**.*	28	180	190	200	2500	400	45,3
VNKBMI2-30-*.**.*	30	160	170	180	2500	400	47

Type	Displacement	Max. Pressure			Max. Speed	Min. Speed	Dimensions
							A
	cm ³ /rev	P1	P2	P3	r/min	r/min	mm
VNKBMI3-25-*.**.*	25	260	290	300	3000	500	43
VNKBMI3-30-*.**.*	30	250	280	300	3000	500	46
VNKBMI3-33-*.**.*	33	250	280	300	3000	500	46
VNKBMI3-39-*.**.*	39	250	280	300	2750	400	49,5
VNKBMI3-46-*.**.*	46	250	280	300	2750	400	52,5
VNKBMI3-50-*.**.*	50	220	240	260	3000	500	54,5
VNKBMI3-55-*.**.*	55	220	240	260	2750	400	56,5
VNKBMI3-63-*.**.*	63	200	230	250	2750	400	60,7
VNKBMI3-71-*.**.*	71	180	200	220	2500	400	64
VNKBMI3-80-*.**.*	80	180	200	220	2500	400	71
VNKBMI3-90-*.**.*	90	180	200	220	2500	400	80




PORTS




3838

INLET	OUTLET
A	a
G3/8	G3/8



3030

INLET			OUTLET		
A	B	C	a	b	c
30	12	M6	30	12	M6




3030R


INLET			OUTLET		
A	B	C	a	b	c
30	12	M6	30	12	M6




PORTS




PORTS CODE	INLET			OUTLET		
	A	B	C	a	b	c
3030	30	13	M6	30	13	M6
4030	40	20	M8	30	13	M6
4040	40	21	M8	40	19	M8




PORTS CODE	INLET	OUTLET
	A	a
1238	G1/2	G3/8
3412	G3/4	G1/2
1034	G1	G3/4



PORTS CODE	INLET	OUTLET
	A	a
10 34	G1	G3/4
114 10	G1 1/4	G1
112 114	G1 1/2	G1 1/4



PORTS CODE	INLET			OUTLET		
	A	B	C	a	b	c
4035	40	20	M6	35	15	M6



PORTS CODE	INLET			OUTLET		
	A	B	C	a	b	c
51 40	51	25	M10	40	18	M8
62 51	62	33	M10	51	27	M10
62 62	62	33	M10	62	33	M10

